

SPECIFICATIONS:
ATTACH POINTS 2EA. EYE BOLTS
16.41" & 17.875" CENTERS
OPERATION: HYDRAULIC 8 TON JACK.
HI GROSS 10,000 LBS./SIDE
TIRE SIZE: 18 X 5.5 105 PSI
APPROXIMATE SKID LIFT 4"
PICK UP EYE TO TOP OF FRAME 16"
WEIGHT EACH SIDE = 95 LBS.
SHIPPING DIMENSIONS 24 X 22 X 21
FINISH: POWDER COAT ORANGE,
CUSTOM COLORS AVAILABLE ON
REQUEST.


EQUIVALENT:
NSN 1730-01-133-9204
214-706-104-101/105
214-706-104-003 (OLD STYLE)
212-050-200-105/107
204-050-200-005/101

NSN 4920-015-492-387
NSN-1730-015-492-387


USE ONLY GRADE 5
HARDWARE OR STRONGER

2-8-18

BDW-245B-1802			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	W-245B-00	WELDED FRAME ASM.
2	2	W-245B-04	AXLE SLIDE
3	2	W-245B-05L	GUIDE LEFT
4	2	W-245B-05R	GUIDE RIGHT
5	4	W-245B-08	WEAR PLATE
6	1	W-245B-09	JACK BASE
7	2	W-245B-11	SPINDLE
8	1	W-245B-13	STOP
9	1	W-245-22G	JACK
10	2	W-245-25B	CASTLE NUT
11	1	W-245B-29	PIN
12	1	W-245B-30	KEEPER PLATE
13	1	W-245-14-00A	HANDLE ASSEMBLY
14	2	W-18088	TIRE/WHEEL ASM.
15	4	1095K41	1/4-28 ZERK FITTING
16	1	CL-8-BLPL-3.00-C	BALL LOCK PIN
17	1	6391K132	BUSHING
18	1	S-264	SPRING
19	24	97135A225	5/16-24 LOCKNUT
20	24	91286A189	5/16-24 X 1 1/2 BOLT
21	8	91102A760	3/8 CAD PLATED LOCK WASHER
22	8	91286A244	3/8-24 X 1 1/4 BOLT
23	2	98338A479	1/8 X 1 3/4 COTTER PIN
24	1	98437A108	#10 HIGH COLLAR LOCK WASHER S.S.
26	24	90126A030	5/16 SAE WASHER
27	1	91286A111	1/4-20 X 1 BOLT
28	1	91102A029	1/4 LOCK WASHER
29	1	92949A269	10-32 X 3/4 BHCS S.S.
30	1	90313A108	.281 I.D. 1 1/4 O.D. WASHER S.S.
31	2	92949A265	10-32 X 1/2 BHCS S.S.
N.S.	OPT.	608500N SEAL KIT	SEAL KIT FOR NORCO JACK #76508 S/N 710 AND BEFORE
N.S.	OPT.	608200 SEAL KIT	SEAL KIT FOR NORCO JACK #76508A S/N 711 AND AFTER




W-18088 COMPLETE TIRE/WHEEL ASM.




PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	W-18088TR	18 X 5.5 8 PLY TIRE
2	1	W-18088TB	18 X 5.5 INNER TUBE
3	1	W-18088WH	WHEEL ASSEMBLY




W-18088WH WHEEL ASSEMBLY



PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	245-1	FEMALE WHEEL HALF
2	1	245-2	MALE WHEEL HALF
3	1	245-10	FELT WASHER
4	1	C129928	2.503 O.D. 1.578 I.D. .031 WASHER S.S.
5	2	C139897	2.622 O.D. 1.639 I.D. .036 WASHER S.S.
6	1	W-245-3	SPACER RING
7	2	LM29749	1.5 X 2.5625 X 0.71 TAPERED BEARING
8	2	LM29710	1.5 X 2.5625 X 0.71 BEARING CUP
9	2	VH-262	SNAP RING
10	6	91247A127	5/16-24 X 3 3/4 BOLT
11	6	99638A300	5/16-24 (MS21045-5) LOCK NUT
12	12	AN960-516	5/16 WASHER



JAN. 2010 S/N 711 & UP REPLACED KYB WITH NORCO JACK

S/N 1406 AND ABOVE (8/17)

W-245-22G				
ITEM	QTY	PART NUMBER		DESCRIPTION
1	1	W-245-22G-01		JACK
2	1	W-245B-R02A		KNOB
3	1	W-245B-R04B		VALVE STEM
4	1	91847A031		3/8-16 THIN HEX NUT S.S.
5	2	91831A125		5/16-24 LOCKNUT S.S.
6	1	92146A031		3/8 LOCK WASHER S.S.
7	2	92198A306		5/16-24 X 1 1/4 BOLT S.S.
8	1	9452K169		BUNA-N 3/32 - 107 O-RING
9	2	92196A540		1/4-20 X 3/4 SHCS S.S.
10	2	94241A270		1/4 HIGH COLLAR LOCK WASHER S. S.
N.S.	1	AWISO 32		HYDRAULIC JACK OIL
N.S.	1	608500		SEAL KIT S/N 710 & BELOW (-22D)
N.S.	1	608200		SEAL KIT S/N 711 & ABOVE (-22G)