

RETAIN

SERVICE PARTS

PRICE LIST No. 7854

EFFECTIVE APRIL 15, 1943

Supersedes Price List No. 7853, Dated October 28, 1940



MODEL 785
HYDRAULIC ROLL-A-CAR
also
MODELS 785R, 785S, 785E

PRICES

OFFICIAL WALKER SERVICE STATIONS

Atlanta, Ga. Walker Service Company
Boston, Mass. Harvey Sales & Service Company
Chicago, Ill. Walker Service Company
Cleveland, O. Industrial Engine Parts, Inc.
Dallas, Tex. Walker Mfg. Co. of Wisconsin
Denver, Colo. Central Supply Company
Kansas City, Mo. Beach-Wittmann Company
Los Angeles, Calif. Moran & McMenamy
Minneapolis, Minn. Fowler Electric Company

New York, N. Y. Equipment Custom Service Corp.
Philadelphia, Pa. Official Jack Service
Portland, Ore. W. R. Karn
St. Louis, Mo. Motor Electric Service Co.
Salt Lake City, Utah Wilson Motor Service
San Francisco, Calif. Kimmerle Brothers
Syracuse, N. Y. Ace Tool Distributors
Toronto, Ont., Can. Thexton Machine Works
Winnipeg, Man., Can. Beattie Auto Electric, Ltd.

WALKER MFG. CO. of WISCONSIN

RACINE, WIS.

MAKERS OF WALKER JACKS — WALKER ELECTRIC LIFTS — WALKER EXHAUST SILENCERS

Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.	Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.
B-391	Ball Retainers—Casters (2).	C-F	Was G-3631	\$0.20		G-12441	Pump Links (3).	A-F		\$0.10	2
G-664	Unit.	A-E	See G-834	23.32	42	G-12451	Bolts—Hdle.Fulcr.	A-F		.15	1 3
G-674	Bell Crank.	A-F		4.95	23	G-12461	5/8 Pump Cylinder	A-E	See G-15611	.40	10
G-684	R.H. Side	A-F		10.00	30	G-12471	Packing—5/8 Pump	A-E	See G-15641	.05	
G-694	L.H. Side	A-F		10.00	32	G-12481	Stuffing Box (3)	A-E	See G-15641	.05	
G-834	Unit.	F	Was G-664	23.32	42	G-12491	Washers—5/8 Pump	A-E	See G-15651	.05	
G-2143	Cap	A-F		1.55	3	G-12491	Stuffing Box (2)	A-E	See G-15651	.05	
G-2153	Segment	A	See G-2423	1.85	5	G-12501	Nut—5/8 Pump	A-E	See G-15631	.40	2
G-2163	Handle Socket	A-F		1.80	5	G-12501	Stuffing Box . . .	A-E	See G-15621	.40	10
G-2173	Handle	A-E	Order 900884	2.35	5	G-12511	5/8 Cup—Pressure	A-E	See G-15671	.10	
G-2423	Segment	B-F	Was G-2153	2.55	4	G-12521	Pump	A-E	See G-15671	.10	
G-3611	Ball Races (2)	A-B	See G-14441	.10	1/2	G-12521	Collar—5/8 Pump	A-E	See G-15661	.05	1
G-3621	Ball Races (2)	A-B	See G-14451	.10	1	G-12541	Cup.	A-F	See G-15661	.75	2 6
G-3631	Ball Retainers (2).	A-B	See B-391	.25	1 1/2	G-12551	Rear Wheels (2)	A	See G-13881	.15	1 2
G-6632	Cap Housing	A-F		1.15	3	G-12561	Bumper Pin. . . .	A-F		.05	1 8
G-6642	Handle Grip	A-F		.95	2	G-12571	Axles—Rear Wheels	A-F		.05	1 8
G-6652	Front Wheels 4 1/2" (2)	A-F		.90	4	G-12571	(2).	A-F		.05	1 8
G-6662	Fork-rear Wheels (2)	A-B	See G-6982	1.00	1	G-12571	Fil.Hd.Dog PT	A-B		.10	2 2
G-6672	Unit Cover	A	See G-6902	.80	2	G-12581	Screw (2).	A-F		1.25	4 2
G-6682	Front Axle	A-F		.70	1	G-12591	Fulcr.Pin—Bell Crk.	A-F		.70	8 8
G-6902	Unit Cover	B-F	Was G-6672	.80	2	G-12601	Links (2).	A-F		.10	9 9
G-6961	Booster Safety Spring	A-F		.02	1	G-12601	Link Studs (2).	A-F		.10	9 9
G-6982	Forks—rear Wheels (2)	C-F	Was G-6662	1.00	1	G-12611	Ram and Bell Crk.	A-F		.35	1 8
G-10011	Adj.Screw Lock Nut.	A-C		.05	1	G-12621	Pin.	A-F		.10	1 8
G-11551	Snap Ring - Rel. Stem	A-F		.05	1	G-12621	Pressure Plugs (2)	A-F		.10	1 8
G-12171	Handle Knob	A-F		.30	14	G-12631	Long	A-F		.10	1 8
G-12181	Ram	A-F		1.90	12	G-12631	Spring—Booster	A-F		.10	1 8
G-12191	Ram Head	A-F		1.00	10	G-12641	Discharge. . . .	A-F		.10	1 8
G-12231	Universal Blocks (2)	A-F		.10	1	G-12641	Nut—Rel.Stuff Box.	A-F		.10	1 8
G-12241	Univ.Sleeves (3).	A-F		.35	4	G-12651	Collar—Rel.Snap	A-F		.05	1 8
G-12251	Universal Fork.	A-F		.40	1	G-12651	Ring	A-F		.10	1 8
G-12261	Fulcrum Pin—Hdle	A-F		1.25	3	G-12661	Rel.Stem.	A-F		.10	1 8
G-12271	Rev.Rod.—Hdle.	A-F		.10	1	G-12671	Ram Cylinder. . .	A-F		3.96	7 1 2
G-12291	Extension—Rev.Rod.	A-F		.10	2	G-12681	Nut—Ram Stuff Box.	A-F		1.05	2 2
G-12301	Collar—Rev.Rod	A-F		.05	1	G-12691	Pin—Bell Crk. and	A-F		.10	1 8
G-12311	Sleeve—Rev.Rod	A-F		.15	1	G-12701	Cap Hsg.	A-C	See G-14721	.10	1 8
G-12321	Plunger Rod	A-F		.10	4	G-12701	Pin—Cap Hsg. and	A-F		.10	1 8
G-12331	Plunger Head	A-F		.10	3	G-12701	Links.	A-F		.10	1 8
G-12341	Link Holder	A		.10	2	G-12731	Pull-Back Springs	A-F		.05	1 8
G-12381	Booster Pump	A-F		1.60	1	G-12761	(2).	A-F		.05	1 8
G-12391	Booster Cylinder	A-F		.05	1	G-12761	Washers—Rel.Stuff	A-F		.05	1 8
G-12401	Washers—Booster	A-F		.05	1	G-12771	Box (2).	A-F		.05	1 8
G-12401	Pump Stuff Box (2)	A-F		.05	1	G-12771	Packings—Rel.	A-F		.05	1 8
G-12411	Packings—Booster	A-F		.05	1	G-12771	Stuff Box (3).	A-F		.05	1 8
G-12421	Pump Stuff Box (3)	A-F		.05	1	G-12791	Gaskets—Tank	A-F		.05	1 8
G-12431	Booster Pump	A-F		.80	2	G-12791	Cover (2).	A-F		.05	1 8
G-12431	Pump Pins (3)	A-F		.05	12	G-12801	Washers—Ram Stuff	A-F		.05	1 8
G-12431	Nut—Booster Stuff Box.	A-F		.25	10	G-12801	Box (2).	A-F		.05	1 8
						G-12811	Packing—Ram Stuff	A-F		.25	1 8
						G-12831	Box (3).	A-F		.15	1 8
						G-12851	Name Plate. . . .	A-F		.15	1 8
						G-12951	Screen.	A-C	See G-15581*	.15	1 8
						G-13551	Spring—Rev.Rod	A-F		.05	1 8
							Sleeve	A-F		.05	1 8

* Indicates old and new parts are interchangeable.


Printed in U.S.A.




2 PL 4-43

Service Parts and Prices—Walker Hydraulic Roll-A-Cars, Series 785


Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.	Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.
G-13571	Pressure Plug--Short.	A-F		\$0.05	4	G-15871	23/32 Cup Leather-Press Pump	F	Was G-12511	\$0.15	1
G-13701	Plunger Yoke.	A-F		.15	8	WH-201	Spring Plunger Rod.	B-F		.05	1
G-13711	Cover Bolt.	A	See G-14181	.05	4	WH-231	Adj.Plug--Safety Valves (2)	A-F		.05	1
G-13881	Bumper Pin.	B-F	Was G-12551	.15	1 2	WH-1841	Spring and Pres. Safety	A-F		.10	1
G-13971	Spring--Booster Discharge.	A-F		.05	1	WH-1901	Nut--Ram Cup.	A-F		.70	10
G-14181	Cover-Bolt.	B-F	Was G-13711	.05	4	WH-2151	Adapter--Pres. Safety	A-F		.05	1
G-14221	Plug--Pres.Cross Line Filler.	A-F		.10	1	WH-3831	Nut--Booster Cup.	A-E	See Z-925	.20	4
G-14261	Booster Suction Ball Spacer.	A-F		.05	1	WH-5111	Cup Leather 1-17/32 Booster.	A-F		.30	1
G-14271	Pres.Suction Ball Spacer	A-F		.05	1/2	WH-5181	Cup Leather--2 1/2" Ram.	A-F		.90	1
G-14291	Booster Safety Valve Cup.	A-C	See G-15571	.10	1	Z-906	Pin--Univ. Sleeve to Rods.	C-F		.05	
G-14301	Booster Safety Valve Stem	A-C	See G-15571	.10	1	Z-187	1/4 Ball.	A-F		.02	
G-14441	Ball Race-Lower(2).	C-F	Was G-3611	.10	12	Z-184	Rollers (26) Front Wheels	A-F		.05	1
G-14451	Ball Race-Upper(2).	C-F	Was G-3621	.10	5	Z-256	Pin Plunger Rod	A-F		.05	
G-14461	Dog PT Screws for Casters (2).	C-F	Was G-12571	.10		Z-546	Hex.Nut--5/8 Pump Cup.	A-F		.05	
G-14471	Snap Rings for Brgs. (2).	C-F		.05	1	Z-376	Jam Nut Hdle. and Pump Pin (2)	A		.02	
G-14721	Pin-Bell Crk. and Cap Hsg.	C-F	Was G-12691	.10	1	Z-465	Pins--Rev.Rod(5).	A-F		.05	
G-15551	Vent Screw.	E-F		.05	1	Z-509	3/8 Balls(3).	A-F		.02	
G-15571	Booster Valve	E-F	Was G-14291	.30	1	Z-510	7/32 Ball--Booster S.Valve (2).	A-F		.02	
G-15581	Screen.	E-F	Was G-14301	.15	1	Z-595	1" L.Washer (2) Fulc. Pin.	A-F		.10	
G-15591	Lock Plug--Booster Valve.	E-F	Was G-12951*	.10	1	Z-628	1/8 Rel.Pipe Plugs (3).	A-F		.05	
G-15601	Adj.Plug--Booster Valve.	E-F		.10	1	Z-643	Drive Rivet--Name Plate (2).	A-F		.02	
G-15611	23/32 Pump Cylinder	F	Was G-12461	.70	1	Z-710	1"-14 Hex.Jam Nut--Fulc.Pin (2)	A-F		.10	
G-15621	23/32 Pump Piston	F	Was G-12501	.80	1	Z-741	3/16 Ball Safety Valve.	A-C	See Z-510	.02	1
G-15631	23/32 Nut--Pump Stuff.Box.	F	Was G-12491	.15	3	Z-743	Plain Washer.	F	Was G-14181*	.05	1
G-15641	23/32 Packing--Pump Stuff.Box(3).	F	Was G-12471	.10	1	Z-839	Filler Hole Screw	E-F			
G-15651	23/32 Washers--Pump Stuff.Box	F	Was G-12481	.02	1						
G-15661	23/32 Collar--Pump Cup	F	Was G-12521	.05	1						

* Indicates old and new parts are interchangeable.



SUCTION AND
DISCHARGE VALVES

SAFETY VALVES




REAR WHEEL

785 HANDLE



900896
SERIES B
C

BOOSTER PUMP

PRESSURE PUMP



RELEASE

900895
SERIES A

Service Parts and Prices—Walker Hydraulic Roll-A-Cars, Series 785.

Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.	Walker Part No.	Name of Part	Used on Series	Changes and Replacements	U.S. List Price Each	Weight Lbs. Oz.
Z- 847	Pin—Univ. Blocks (4)	A-F		\$0.05		G- 7022	Axle—Front Wheel .	A-F		\$0.80	5 8
Z- 848	3/8 Blank Washer—Hdle	A-F		.05		900262	Rubber Front Wheels	A-F		9.30	8
Z- 849	Pin Turning Knob . .	A-F		.05		900936	Rubber Rear Wheels .	A-F		2.25	1 2
Z- 850	Rollers (28) Rear Wheels	A-F		.05	1	Z- 247	Rollers—Front Wheels (26)	A-F		.05	1
Z- 852	Gasket—Filler and Cover Screws (2) .	A-F		.05		MODEL NO. 785-S 6" Mall. Front Wheels All Parts Same as 785 Except:					
Z- 853	3/8 x 5/8 Hdless. Dog PT Set Screws .	A-C		.05		G- 111	Washers—Front Wheels (4)	A-F		.05	
Z- 854	1/4 x 2-3/8 Rd. Hd. Rivet—F. axle . .	A-F		.05		G- 1082	Front Wheels (Large) (2)	A-F	Order G-7112*	1.95	4 12
Z- 863	Washers—rear wheels (4)	A-F		.05		G- 6972	Axle—Front Wheel .	A-C	Was G-6972*	1.35	4 5
Z- 864	Washers—front wheels (4)	A-F		.05		G- 7112	Axle—Front Wheel .	A-F		n/c	4 10
Z- 872	3/8 Rd. Hd. Mach. Bolts Hdls. (2) . .	A-F		.15		G-12831	Name Plate	A-F			
Z- 873	3/8 Hex. Jam Nuts—Hdle. (2)	A-F		.05		Z- 208	Rollers—Front Wheels (26)	A-F		.05	
Z- 877	Drill Rod Pin—Ram Pin	A-F		.05		MODEL NO. 785-E 8" Mall. Front Wheels All Parts Same as 785 Except:					
Z- 878	Drill Rod Pin—Ram .	A-F		.05		B- 401	Upper Ball Races (2)	A-F		.05	
Z- 882	Cross Pin—Hdle. Skt.	A-F		.05		G- 111	Front Wheel Washers (4)	A-F		.05	
Z- 896	15/16 Oilier (4) . .	A-F		.05		G- 562	8" Front Wheels (2)	A-F		2.75	7
Z- 915	Copper Asbestos Gasket	B-F	Was WH-3831	.02	1	G- 814	R.H. Side (with Pad)	A-F		9.85	
Z- 925	Hex. Jam Nut	F		.05	1	G- 824	L.H. Side (with Pad)	A-F		9.35	
SUB. ASSEMBLIES						G- 1352	4" Rear Wheels (2) .	A-F		.95	2 8
900884	Hdle. and Grip Only	A-F		3.20	8	G- 1562	Brackets—Rear Wheels (2)	A-F		2.40	4 2
900895	1-G-2173 1-G-6642 .	A	See 900896	11.10	24	G- 1612	Forks—Rear Wheels (2)	A-F		1.85	3 4
900896	Hdle. Complete . .	B-F	Was 900895	11.10	24	G- 2151	Washers—Rear Wheels (4)	A-F		.05	
900914	Rear Wheel Casters (2)	C-F	Was 900915*	3.20		G- 2191	Bushings—Rear Wheels (2)	A-F		.65	10
	1-B-391 1-G-14451					G- 2241	Rollers—Rear Wheels (20)	A-F		.05	1
	1-G-6982 1-G-14461					G- 2251	Ball Races—Lower (2)	A-F		.10	
	1-G-12541 1-G-14471					G- 2571	Axles—Rear Wheels (2)	A-F		.25	
	1-G-12561 1-G-850					G- 2581	Snap Rings (2) . . .	A-F		.02	4 8
	1-G-14441 2-Z-863					G- 7112	Axle Front Wheels .	A-F		1.35	4 10
900915	Rear Wheel Casters (2)	A-B	See 900914*	3.20		G-12831	Name Plate	A-F		n/c	1
900917	Hydraulic Unit Cpl.	A-C	See 901026*	26.50	50	Z- 208	Rollers—Front Wheels (26)	A-F		.05	1
900976	Universal for Rel. Stem	A-F		1.15		Z- 350	Lockwashers (8) .	A-F		.02	
	1-G-12231 2-Z-847					Z- 439	Cross Pins—Rear Axle (4)	A-F		.02	1
	1-G-12241 1-Z-906					Z- 869	Hex. Hd. Cap Screws (8)	A-F		.05	
	1-G-12251					SUB. ASSEMBLIES					
900977	Universal that goes thru Hdle. Fulc. Pin	A-F		1.05		900282	Rear Wheel and Bushing (2)	A-F		1.80	2 1
	1-G-12231 2-Z-847					1-G-1352 1-G-2191					
	2-G-12241 1-Z-906					900293	Rear Wheel and Fork Cpl. (2)	A-F		5.00	5
	1-Z-465					1-G-1612 1-G-2571					
900978	Rel. Rod Extension with Collar	A-F		.20		2-G-2151 2-Z-439					
	1-G-12291 1-Z-465					1-G-2241 1-900282					
	1-G-12301 1-Z-906					950100	Rear Wheel, Fork and Brkt. Cpl. (2) .	A-F		7.35	8 11
900979	Reverse Rod Sleeve and Cross Pin . . .	A-F		.15		1-G-1562 1-900293					
901023	1-G-12311 2-Z-465					1-G-2581					
901026	Cover Assembly . . .	E-F		1.40	2 3						
	Hydraulic Unit Complete	A-F	Was 900917*	26.50	50						
MODEL NO. 785-R 6" Rubber Front Wheels All Parts Same as Regular 785 Except:											
G- 111	Washers—Front Wheels (4)	A-F		.05							

Note:—Because of the number of parts and amount of labor involved, the factory does not suggest converting a regular 785 into a model No. 785-E.

* Indicates old and new parts are interchangeable.

Periodically Drain, Flush and Refill Your Jacks With THE NEW WALKER HYDROYL-50

The new Walker HYDROYL-50 was developed especially for use in all hydraulic jacks. Walker HYDROYL-50 is not just ordinary light oil—but a scientifically compounded oil alloy containing special costly ingredients that prevent interior corrosion and preserve cup leathers. To prolong your jack life . . . to pep up jack performance, periodically drain, flush and refill with Walker HYDROYL-50. It costs no more.

