

TECHNICAL MANUAL }
NO. 9-4910-261-14P }


HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, D. C., 20025 14 October 1971

OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT,
AND
GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
FOR
JACK, DOLLY-TYPE, HYDRAULIC: 10-TON CAPACITY
(WALKER MFG. CO. MODEL-780) (4910-289-7233)

This manual is current to 1 October 1971


		Paragraph	Page
Section I.	Introduction	.1	2
II.	Repair Parts List	2a	2
III.	Special Tools List	2b	2
IV.	Repair Parts List	2c	2
	Repair Parts for:		
	Frame and wheel assembly		
	Bell crank assembly		
	Hydraulic unit assembly		
	Handle and quadrant assembly		
V.	Special Tools List	2d	2
VI.	Federal Stock Number and Reference Number Index	2e	2

* This manual supersedes SM ORD 7-8 SNL J-520, 22 March 1955, and TM 9-4910-261-50, 18 June 1958.




WE 38134

Figure 1. Frame and wheel assembly




WE 38136

Figure 2. Bell crank assembly



WE 38135

Figure 3. Hydraulic unit assembly



WE 38133

Figure 4. Handle and quadrant assembly

OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)

Section I. INTRODUCTION

1. Scope. This manual lists repair parts required by the crew / operator for operation and required for the performance of organizational, direct support, and general support maintenance of the hydraulic dolly-type jack.

2. General. The Repair Parts List is divided into the following sections:

a. Repair Parts List-Section II. A list of repair parts authorized at the organizational level for the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in ascending numerical sequence, with the parts in each group listed in figure and item number sequence.

b. Special Tools List-Section III. Not applicable.

c. Repair Parts List-Section IV. A list of repair parts authorized for the performance of maintenance at the direct support and general support levels in figure and item number sequence.

d. Special Tools List-section V. Not applicable.

e. Federal Stock Number and Reference Number Index-Section VI. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock numbers and reference numbers are cross-referenced to each illustration figure and item number appearance.

3. Explanation of Columns. The following provides an explanation of columns found in the tabular listings.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the source for the listed items. Source codes are:

Code	Explanation
P	Repair parts, special tools, and test equipment supplied from the GSA / DSA or Army supply system and authorized for use at indicated maintenance categories.
P2	Repair parts, special tools, and test equipment which are procured and stocked for insurance purposes, because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.

Code	Explanation
P 9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC Logistic System and which are not subject to the provisions of AR 380-41.
P 10	Assigned to items which are NSA design controlled: special tools, test, measuring, and diagnostic equipment for COMSEC support which are accountable under the provisions of AR 380-41 and which are stocked and supplied by the Army COMSEC Logistic System.
M	Repair parts, special tools and test equipment which are not procured or stocked as such in the supply system but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately, and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies that are not Procured or stocked because the failure rate is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X 2	Repair parts, special tools and test equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage. The item may be requisitioned, with exception data, from the end item manager for immediate use.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DM and GS level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

Note. Cannibalization or salvage may be used as a source of supply for any item's source coded above except those coded X1 and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Indicates the lowest category of maintenance authorized to install the repair part and / or use the special tool or test equipment for each application. Capabilities of higher maintenance categories are considered equal or better. Maintenance codes are:

Code	Explanation
C	Crew / operator
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
I)	Depot maintenance

(3) Recoverability code. Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are nonrecoverable. Recoverability codes are:

Code	Explanation
R	Repair parts (assemblies and components), special tools and test equipment which are considered economically repairable at direct and general support maintenance levels. When the item is no longer economically repairable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair parts, special tools and test equipment, and assemblies which are economically repairable at DS and GS activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts, special tools and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U	Repair parts, special tools and test equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value, or reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42. Items that are included in kits and sets are listed below the name of the kit or set with quantity of each item in the kit or set indicated in front of the item name

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation, e.g., ea., in., pr, etc., and is the basis used to indicate quantities and

allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. Indicates the quantity of the item' used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of a quantity indicates that no specific quantity is applicable, e.g., shims, spacers, etc.

f. Maintenance Allowances. All items are authorized for use as required.

g. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item on the illustration.

4. Special Information. Repair part kits appear as the last entries in the repair parts listing for the group or assembly to which they apply.

5. How to Locate Repair Parts.

a. When Federal Stock Number or Reference Number Is Unknown:

(1) *First.* Find the illustration of the assembly or subassembly to which the repair part belongs.

(2) *Second.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(3) *Third.* Using the Repair Parts Listing, find the figure and item number listed in the illustration column.

b. When Federal Stock Number or Reference Number Is Known:

(1) *First.* Using the Federal Stock Number and Reference Number Index, find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in ascending alphameric sequence, cross-referenced to the illustration figure and item number.

(2) *Second.* Using the Repair Parts Listing, find the illustration figure number and item number referenced in the Federal Stock Number and Reference Number Index.

6. Abbreviations.

Abbreviations	Explanation
AR	Army Regulations
c/o..	consist of
DA.	Department of the Army
w	wide, width
w/o.	without

7. Recommendations for Maintenance Publications Improvements. You can improve this manual by calling attention to errors and by recommending improvements, using DA Form 2028 (Recommended Changes to Publications) or

by a letter, and mailing directly to: Commanding General, Headquarters, U. S. Army Weapons Command, ATTN: AMSWE-MAP, Rock Island, IL 61201. A reply will be furnished directly to you.

SECTION II. REPAIR PARTS LIST

ACT ON CODE	(1) SOURCE MAINT AND RECOV CODE			(2) FEDERAL STOCK NO.	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15 DAY ORGANIZATIONAL MAINTENCE ALW				(7) ILLUSTRATION	
	(a)	(b)	(c)					(a)	(b)	(c)	(d)	(a)	(b)
	SOURCE	MAINT	RECOV					1-5	6-20	21-50	51-100	Fig. no.	Item no.
					REFERENCE NUMBER & MFR. CODE		USABLE ON CODE						
					FRAME AND WHEEL ASSEMBLY								
P	0	-		5315-187-9571	PIN, COTTER 204530 (79260)	EA	2	*	*	*	*	1	1
P	0	-		4730-050-4208	FITTING, LUBRICATION G-16711 (79260)	EA	2	*	*	*	*	1	4
P	0	-		5310-891-1754	BELL CRANK ASSEMBLY NUT, PLAIN, HEXAGON 207169 (79260)	EA	1	*	*	*	*	2	9
P	0	-		4730-050-4208	FITTING, LUBRICATION G-16711 (79260)	EA	1	*	*	*	*	2	13
X1		-			RIVET-HANDLE 201808 (79260)	EA	4					2	14
X2	0	-			HYDRAULIC UNIT ASSEMBLY FILLER PLUG ASSEMBLY: C/O 900432 (79260)	EA	1					3	20
P	0	-		4730-018-9566	PLUG, PIPE 210311 (79260)	EA	2	*	*	*	*	3	48
P	0	-		5310-891-1754	HANDLE AND QUADRANT ASSEMBLY NUT, PLAIN, HEXAGON 207169 (79260)	EA	1	*	*	*	*	4	13
P	0	-		5306-281-1027	BOLT, MACHINE 200253 (79260)	EA	2	*	*	*	*	4	30
P	0	-		5306-543-2171	BOLT, MACHINE 200261 (79260)	EA	2	*	*	*	*	4	31
P	0	-		5315-018-7988	PIN, COTTER 204507 (79260)	EA	2	*	*	*	*	4	35

Section IV. REPAIR PARTS LIST												
(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration
					(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.
		Reference number & mfr. code		usable on code								(b) Item no.
REPAIR PARTS FOR:												
FRAME AND WHEEL ASSEMBLY												
P 0 --	5315-187-9571	PIN, COTTER	EA	2	*	*	*	*	*	*	*	1
		204530 (79260)										
X2 F --		FRONT WHEEL ASSEMBLY: C/O										1
		FRONT WHEEL WASHER	EA	4								3
		210735 (79260)										
P 0 --	4730-050-4208	FITTING, LUBRICATION	EA	2	*	*	*	*	*	*	*	4
		G-16711 (79260)										
X2 F --		FRONT WHEEL AND BUSHING ASSEMBLY	EA	2								5
		900283 (79260)										
X2 F --		FRONT WHEEL ROLLER	EA	26								6
		209746 (79260)										
X2 F --		FRONT WHEEL BUSHING	EA	2								7
		G-1271 (79260)										
P F --	5320-013-4720	RIVET, SOLID	EA	2	*	*	*	*	*	*	*	8
		210731 (79260)										
X2 F --		FRONT AXLE	EA	1								9
		G-2252 (79260)										
X --		RIGHT-HAND SIDE PLATE ASSEMBLY	EA	1								10
		900423 (79260)										
X --		LEFT-HAND SIDE PLATE ASSEMBLY	EA	1								11
		900424 (79260)										
P F --	5310-297-4168	NUT, PLAIN, HEXAGON	EA	2	*	*	*	*	*	*	*	12
		203309 (79260)										
P F --	5310-926-5885	WASHER, LOCK	EA	2	*	*	*	*	*	*	*	13
		201479 (79260)										
P F --	5310-208-5406	NUT, PLAIN, HEXAGON	EA	4	*	*	*	*	*	*	*	14
		203323 (79260)										
P F --	5310-060-9435	WASHER, LOCK	EA	4	*	*	*	*	*	*	*	15
		201481 (79260)										
P F --	5306-639-2333	BOLT, SHEAR	EA	4	*	*	*	*	*	*	*	16
		206329 (79260)										
P F --	5310-595-7157	WASHER, LOCK	EA	8	*	*	*	*	*	*	*	17
		209970 (79260)										
P F --	5306-582-6387	BOLT, SHEAR	EA	4	*	*	*	*	*	*	*	18
		206331 (79260)										

Section IV. REPAIR PARTS LIST													
(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
					(a)	(b)	(c)	(a)	(b)	(c)		(a)	(b)
		Reference number & mfr. code		Usable on code	1-20	21-50	51-100	1-20	21-50	51-100		Fig no.	Item no.
		REPAIR PARTS FOR											
		FRAME AND WHEEL ASSEMBLY-CONTINUED											
		REAR WHEEL ASSEMBLY: C/O										1	19
X2F --		SNAP RING - REAR WHEEL	EA	2								1	20
		G-2581 (79260)											
X2F --		REAR WHEEL BRACKET	EA	2								1	21
		G-793 (79260)											
X2F --		FORK - REAR WHEEL	EA	2								1	22
		G-1612 (79260)											
X2F --		BALL RACE - UPPER	EA	2								1	23
		G-23061 (79260)											
X2F --		BALL	EA	2								1	24
		B-391 (79260)											
X2F --		BALL RACE - LOWER	EA	2								1	25
		G-23071 (79260)											
X2F --		PIN - REAR AXLE	EA	4								1	26
		209422 (79260)											
X2F --		REAR WHEEL AXLE	EA	2								1	27
		G-2571 (79260)											
X2F --		REAR WHEEL AND BUSHING ASSEMBLY	EA	2								1	28
		900282 (79260)											
X2F --		WASHER - REAR WHEELS	EA	4								1	29
		204311 (79260)											
X2F --		ROLLER - REAR WHEEL	EA	20								1	30
		210734 (79260)											
X2F --		REAR WHEEL BUSHING	EA	2								1	31
		G-2191 (79260)											
P F --	5306-174-9461	BOLT, MACHINE	EA	6	*	*	*	*	*	*	*	1	32
		206301 (79260)											
P F --	5310-595-7157	WASHER, LOCK	EA	6	*	*	*	*	*	*	*	1	33
		209970 (79260)											
		BELL CRANK ASSEMBLY											
X2F --		PIN - CROSS LINK	EA	1								2	1
		G-4751 (79260)											
X2F --		PARALLEL LINK	EA	2								2	2
		G-2302 (79260)											
X2F --		CAP HOUSING	EA	1								2	3
		G-783 (79260)											
P F --	5315-262-8162	PIN, COTTER	EA	2	*	*	*	*	*	*	*	2	4
		204547 (79260)											

(1) SMR code	(2) Federal stock number	Section IV. REPAIR PARTS LIST			(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
		(3) Description	Reference number & mfr. code	Usable on code			(a) (a)	(b) (b)	(c) (c)	(a) (a)	(b) (b)	(c) (c)		(a) Fig no.	(b) Item no.
REPAIR PARTS FOR BELL CRANK ASSEMBLY-CONTINUED															
X2F --		STUD - PARALLEL LINKS G-4761 (79260)			EA	2								2	5
P F --	5315-597-7290	PIN, COTTER 204582 (79260)			EA	2	*	*	*	*	*	*	*	2	6
X2F --		PIN-CAP HOUSING TO BELL CRANK G-4601 (79260)			EA	2								2	7
X2F --		BELL CRANK AND GREASE FITTING ASSEMBLY 213424 (79260)			EA	1								2	8
P O --	5310-891-1754	NUT, PLAIN, HEXAGON 207169 (79260)			EA	1	*	*	*	*	*	*	*	2	9
X2F --		SET SCREW 205390 (79260)			EA	1								2	10
X2F --		CAP G-773 (79260)			EA	1								2	11
X2F --		FULCRUM PIN G-4611 (79260)			EA	1								2	12
P O --	4730-050-4208	FITTING, LUBRICATION G-16711 (79260)			EA	1	*	*	*	*	*	*	*	2	13
X1 --		RIVET - HANDLE 201808 (79260)			EA	4								2	14
X2F --		NAME PLATE NPA (79260)			EA	1								2	15
X2H R		HYDRAULIC UNIT ASSEMBLY HYDRAULIC UNIT ASSEMBLY: C/O 218047 (79260)			EA	1								3	
X2H --		HEX BOLT - RAM HEAD 210365 (79260)			EA	3								3	1
X1 --		GASKET - SCREEN BOLT 204843 (79260)			EA	1	SEE REPAIR KIT URK 405 (79260)							3	2
X2H --		SCREEN - INTAKE G-4541 (79260)			EA	1								3	3
X2H --		SPRING - SCREEN G-4521 (79260)			EA	1								3	4
X2H --		SHIELD - SCREEN G-4531 (79260)			EA	1								3	5
X2H --		PUMP GLAND NUT 218074 (79260)			EA	1								3	6

(1) SMR code	(2) Federal stock number	Section IV. REPAIR PARTS LIST			(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
		(3) Description					(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.	(b) Item no.
		Reference number & mfr. code		Usable on code											
		REPAIR PARTS FOR HYCRAULIC UNIT ASSEMBLY-CONTINUED													
X1 --		PUMP PACKING RINGS 213159 (79260)			EA	2	SEE REPAIR KIT URK 405 (79260)							3	7
X1 --		ROPE PACKING - PUMP 218049 (79260)			EA	1	SEE REPAIR KIT URK 405 (79260)							3	8
X2H --		WASHER - PUMP GLAND 204339 (79260)			EA	3								3	9
X2H --		RAM HEAD 215322 (79260)			EA	1								3	10
X2H --		NUT - RELEASE ADJUSTMENT NUT G-4411 (79260)			EA	1								3	11
P H --	5310-272-5781	NUT, PLAIN, HEXAGON 203261 (79260)			EA	1	*	*	*	*	*	*	*	3	12
X2H --		GLAND NUT - RELEASE G-4401 (79260)			EA	1								3	13
X2H --		WASHER - RELEASE GLAND 204254 (79260)			EA	4								3	14
X1 --		ROPE PACKING - RELEASE G-4691 (79260)			EA	1	SEE REPAIR KIT URK 405 (79260)							3	15
P H --	5306-619-6459	BOLT, SHEAR 204736 (79260)			EA	1	*	*	*	*	*	*	*	3	16
M H --		GASKET - RAM HEAD G-4491 (79260)			EA	1								3	17
P H --	5330-585-9502	FOR REPLACEMENT USE: ASBESTOS SHEET, COMPRESSED 50 LG, 50 W, 1/32 THK SPEC MIL-A-17472			EA	1	*	*	*	*	*	*	*	3	17
X2H --		PIN - RAM HEAD G-4371 (79260)			EA	1								3	18
X2H --		SPACER - RAM PIN G-9482 (79260)			EA	2								3	19
X20 --		FILLER PLUG ASSEMBLY: C/O 900432 (79260)			EA	1								3	20
X1 --		AIR VENT SCREW 201392 (79260)			EA	1								3	21
X1 --		AIR VENT GASKET 201871 (79260)			EA	1								3	22
X2H --		PUMP AND CUP ASSEMBLY: C/O 217205 (79260)			EA	1								3	23

Section IV. REPAIR PARTS LIST													
(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
		Reference number & mfr. code		Usable on code	(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.	(b) Item no.
REPAIR PARTS FOR HYDRAULIC UNIT ASSEMBLY-CONTINUED													
X2H --		PUMP	EA	1								3	24
		216521 (79260)											
X2H --		HAIR PIN COTTER - PUMP	EA	1								3	25
		215628 (79260)											
X2H --		RETAINER - PUMP	EA	1								3	26
		216524 (79260)											
X1 --		LEATHER WASHER - PUMP	EA	1	SEE REPAIR KIT URK 405 (79260)							3	27
		216522 (79260)											
X1 --		U CUP-PUMP	EA	1	SEE REPAIR KIT URK 405 (79260)							3	28
		216523 (79260)											
X1 --		O RING - PUMP	EA	1	SEE REPAIR KIT URK 405 (79260)							3	29
		216525 (79260)											
X2H --		SPRING - RELEASE	EA	1								3	30
		G-4361 (79260)											
X2H --		SPACER - RELEASE SPRING	EA	1								3	31
		216162 (79260)											
X2H --		ROD - RELEASE	EA	1								33	32
		216161 (79260)											
X2H --		HEAD - RELEASE VALVE	EA	1								3	33
		G-4341 (79260)											
X2H --		PIN - RELEASE VALVE HEAD	EA	1								3	34
		200577 (79260)											
X2H --		RELIEF VALVE ASSEMBLY	EA	1								3	35
		216251 (79260)											
X2H --		GASKET - PLUG AND RELEASE HOUSING	EA	2	SEE REPAIR KIT URK 405 (79260)							3	36
		201876 (79260)											
X2H --		RAM	EA	1								3	37
		216154 (79260)											
X2H --		GLAND NUT - CYLINDER	EA	1								3	38
		G-4311 (79260)											
P F --	5315-187-9571	PIN, COTTER	EA	2	*	*	*	*	*	*	*	3	39
		204549 (79260)											
X2F --		PIN - CYLINDER TO BELL CRANK	EA	1								3	40
		G-4301 (79260)											
X2H --		CYLINDER	EA	1								3	41
		G-733 (79260)											
X1 --		RING - WIPER	EA	1	SEE REPAIR KIT URK 405 (79260)							3	42
		G-4551 (79260)											

Section IV. REPAIR PARTS LIST														
(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) (b) (c) 1-20 21-50 51-100			(7) 30-day GS maint allowance (a) (b) (c) 1-20 21-50 51-100			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration (a) (b) Fig Item no. no.		
		Reference number & mfr. code			Usable on code									
		REPAIR PARTS FOR HYDRAULIC UNIT ASSEMBLY-CONTINUED												
X1 --		PACKING RING - CYLINDER GLAND 213208 (79260)	EA	2	SEE REPAIR KIT URK 405 (79260)								3	43
X2H --		RAM CUP RETAINING RING 216163 (79260)	EA	1									3	44
X2H --		RETAINING CUP - RAM 216159 (79260)	EA	1									3	45
X1 --		U CUP-RAM 216155 (79260)	EA	1	SEE REPAIR KIT URK 405 (79260)								3	46
X1 --		BACK-UP WASHER-RAM CUP 216160 (79260)	EA	1	SEE REPAIR KIT URK 405 (79260)								3	47
P 0 --	4730-081-9566	PLUG, PIPE 210311 (79260)	EA	2	*	*	*	*	*	*	*		3	48
X2H --		PLUG 216158 (79260)	EA	1	SEE REPAIR KIT URK 405 (79260)								3	49
X1 --		BALL 203207 (79260)	EA	1									3	50
X2H --		SPACER - SUCTION BALL 216574 (79260)	EA	1									3	51
X1 --		BALL 203200 (79260)	EA	1	SEE REPAIR KIT URK 405 (79260)								3	52
P H --	5306-576-2513	BOLT, MACHINE 206146 (79260)	EA	2	*	*	*	*	*	*	*		3	53
X2H --		HYDRAULIC UNIT, LESS CYLINDER ASSEMBLY SAME AS HYDRAULIC UNIT ASSEMBLY, W/O ITEMS 41-48-53	EA	1									3	
P H --		218048 (79260) REPAIR KIT: C/O URK 405 (79260)	EA	1	*	*	*	*	*	*	*		3	
		1 - GASKET-SCREEN BOLT											3	2
		2 - PUMP PACKING RINGS											3	7
		1 - ROPE PACKING - PUMP											3	8
		1 - ROPE PACKING - RELEASE											3	15
		1 - LEATHER WASHER - PUMP											3	27
		1 - "U" CUP-PUMP											3	28
		1 - "O" RING - PUMP											3	29
		2 - GASKET - PLUG AND RELEASE HOUSING											3	36
		1 - RING - WIPER											3	42
		2 - PACKING RING - CYLINDER GLAND											3	43
		1 - "U" CUP-RAM											3	46

Section IV. REPAIR PARTS LIST													
(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
		Reference number & mfr. code		Usable on code	(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.	(b) Item no.
REPAIR PARTS FOR HYDRAULIC UNIT ASSEMBLY-CONTINUED													
		1 - BACK-UP WASHER - RAM CUP										3	47
		1 - BALL										3	50
		1 - BALL										3	52
		HANDLE AND QUADRANT ASSEMBLY											
X2F --		SPRING - PULL BACK	EA	2								4	1
		G-2272 (79260)											
X2F --		SPRING - PUMP RETURN	EA	1								4	2
		G-19361 (79260)											
P F --		ANCHOR PIN	EA	1								4	3
		213678 (79260)											
X2F --		FOOT PEDAL PIN	EA	1								4	4
		G-22001 (79260)											
X2F --		FOOT PEDAL - RELEASE	EA	1								4	5
		G-2342 (79260)											
P F --	5315-236-8357	PIN, COTTER	EA	1	*	*	*	*	*	*	*	4	6
		204425 (79260)											
X2F --		FOOT PEDAL PIN	EA	1								4	7
		210733 (79260)											
X2F --		RELEASE PULL ROD ASSEMBLY	EA	1								4	8
		900431 (79260)											
X2F --	5315-576-0421	PIN, COTTER	EA	1	*	*	*	*	*	*	*	4	9
		204511 (79260)											
P O --		PUMP WASHER	EA	1								4	10
		204283 (79260)											
X2F --		PUMP PIN	EA	1								4	11
		210736 (79260)											
P F --		PUMP CONNECTING ROD ASSEMBLY: C/O	EA	1								4	12
		900426 (79260)											
X2F --	5310-891-1754	NUT, PLAIN, HEXAGON	EA	1	*	*	*	*	*	*	*	4	13
		207169 (79260)											
X2F --		WASHER	EA	1								4	14
		201090 (79260)											
P F --	5306-260-4508	BOLT, MACHINE	EA	1	*	*	*	*	*	*	*	4	15
		206190 (79260)											
P F --		PUMP CONNECTING LINK	EA	2								4	16
		G-4661 (79260)											
P F --		CLIP - PUMP RETURN	EA	1								4	17
		213679 (79260)											

(1) SMR code	(2) Federal stock number	Section IV. REPAIR PARTS LIST		(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
		(3) Description				(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.	(b) Item no.
		Reference number & mfr. code	Usable on code											
		REPAIR PARTS FOR HANDLE AND QUADRANT ASSEMBLY-CONTINUED												
P F --	5315-239-8032	PIN, COTTER 204509 (79260)		EA	4	*	*	*	*	*	*	*	4	18
P F --	5315-252-6001	PIN, STRAIGHT, HEADED 210732 (79260)		EA	1	*	*	*	*	*	*	*	4	19
P F --	5315-426-8647	PIN, STRAIGHT, HEADED 213680 (79260)		EA	1	*	*	*	*	*	*	*	4	20
X2F --		QUADRANT AND ANCHOR PIN ASSEMBLY 213686 (79260)		EA	1								4	21
X2F --		PIN - HANDLE FULCRUM G-4631 (79260)		EA	1								4	22
X2F --		FOOT PEDAL 213681 (79260)		EA	1								4	23
X2F --		COMPLETE HANDLE ASSEMBLY: C/O 213685 (79260)		EA	1								4	
X2F --		PLUNGER HOUSING 213682 (79260)		EA	1								4	24
X2F --		PIN - PLUNGER HEAD 200650 (79260)		EA	1								4	25
X2F --		PLUNGER HEAD G-4571 (79260)		EA	1								4	26
P F --	5310-680-7508	NUT, PLAIN, HEXAGON 203349 (79260)		EA	4	*	*	*	*	*	*	*	4	27
P F --	5310-595-7157	WASHER, LOCK 209970 (79260)		EA	4	*	*	*	*	*	*	*	4	28
X2 --		DOWN STOP PLATE G-20281 (79260)		EA	1								4	29
P 0 --	5306-281-1027	BOLT, MACHINE 200253 (79260)		EA	2	*	*	*	*	*	*	*	4	30
P 0 --	5306-543-2171	BOLT, MACHINE 200261 (79260)		EA	2	*	*	*	*	*	*	*	4	31
X1 --		HANDLE BAR G-2222 (79260)		EA	2								4	32
X2F --		PIN - RELEASE CAM 200731 (79260)		EA	1								4	33
X2F --		CAM - HANDLE RELEASE G-4581 (79260)		EA	1								4	34
P 0 --	5315-018-7988	PIN, COTTER 204507 (79260)		EA	2	*	*	*	*	*	*	*	4	35

SECTION IV. REPAIR PARTS LIST

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day OS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntgcy	(9) Illustration	
					(a)	(b)	(c)	(a)	(b)	(c)		(a) Fig no.	(b) Item no.
		Reference number & mfr. code											
		REPAIR PARTS FOR											
		HANDLE AND QUADRANT ASSEMBLY-CONTINUED											
		COMPLETE HANDLE ASSEMBLY: C/O-CONTINUED											
		PLUNGER ROD											
X2F --		G-2232 (79260)	EA	1								4	36
X2F --		PLUNGER SPRING	EA	1								4	37
		G-671 (79260)											
P F --	5320-010-4114	RIVET, SOLID	EA	4	*	*	*	*	*	*	*	4	38
		202891 (79260)											
X1 --		RELEASE BRACKET	EA	1								4	39
		G-3021 (79260)											
P F --	5320-276-8565	RIVET, SOLID	EA	1	*	*	*	*	*	*	*	4	40
		202632 (79260)											
X1 --		RIVET-HANDLE	EA	1								4	41
		201808 (79260)											
X2F --		RELEASE HANDLE ASSEMBLY	EA	1								4	42
		900305 (79206)											
P F --	5320-010-7564	RIVET, SOLID	EA	1	*	*	*	*	*	*	*	4	43
		203003 (79260)											
P F --	5320-010-7564	RIVET, SOLID	EA	1	*	*	*	*	*	*	*	4	44
		202979 (79260)											
X1 --		HANDLE GRIP	EA	1								4	45
		G-932 (79260)											
X2F --		HANDLE BAR AND GRIP ASSEMBLY: C/O	EA	1								4	
		214593 (79260)											
		2 - HANDLE BAR										4	32
		4 - RIVET - RELEASE BRACKET										4	38
		1 - RELEASE BRACKET										4	39
		1 - LONG RIVET - HANDLE GRIP										4	43
		1 - SHORT RIVET - HANDLE GRIP										4	44
		1 - HANDLE GRIP										4	45

SECTION VI. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO		
4730-018-9566	3	48	5310-891-1754	2	9		
4730-050-4208	1	4		4	13		
	2	13	5310-926-5885	1	13		
5306-174-9461	1	32	5315-018-7988	4	35		
5306-260-4508	4	15	5315-187-9571	1	1		
5306-281-1027	4	30		3	39		
5306-543-2171	4	31	5315-236-8357	4	6		
5306-576-2513	3	53	5315-239-8032	4	18		
5306-582-6387	1	18	5315-252-6001	4	19		
5306-619-6459	3	16	5315-262-8162	2	4		
5306-639-2333	1	16	5315-426-8647	4	20		
5310-060-9435	1	15	5315-576-0421	4	9		
5310-208-5406	1	14	5315-597-7290	2	6		
5310-272-5781	3	12	5320-010-4114	4	38		
5310-297-4168	1	12	5320-010-7564	4	43		
5310-595-7157	1	17		4	44		
	1	33	5320-013-4720	1	8		
	4	28	5320-276-8565	4	40		
5310-680-7508	4	27	5330-585-9502	3	17		
REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
B-391	79260	1	24	G-733	79260	3	41
G-1271	79260	1	7	G-773	79260	2	11
G-1612	79260	1	22	G-783	79260	2	3
G-16711	79260	1	4	G-793	79260	1	21
		2	13	G-932	79260	4	45
G-19361	79260	4	2	G-9482	79260	3	19
G-20281	79260	4	29	NPA	79260	2	15
G-2191	79260	1	31	SPEC MIL-A-17472		3	17
G-22001	79260	4	4	URK405	79260	3	-
G-2222	79260	4	32	200253	79260	4	30
G-2232	79260	4	36	200261	79260	4	31
G-2252	79260	1	9	200577	79260	3	34
G-2272	79260	4	1	200650	79260	4	25
G-2302	79260	2	2	200731	79260	4	33
G-23061	79260	1	23	201090	79260	4	14
G-23071	79260	1	25	201392	79260	3	21
G-2342	79260	4	5	201479	79260	1	13
G-2571	79260	1	27	201481	79260	1	15
G-2581	79260	1	20	201808	79260	2	14
G-3021	79260	4	39			4	41
G-4301	79260	3	40	201871	79260	3	22
G-4311	79260	3	38	201876	79260	3	36
G-4341	79260	3	33	202632	79260	4	40
G-4361	79260	3	30	202891	79260	4	38
G-4371	79260	3	18	202979	79260	4	44
G-4401	79260	3	13	203003	79260	4	43
G-4411	79260	3	11	203200	79260	3	52
G-4491	79260	3	17	203207	79260	3	50
G-4521	79260	3	4	203261	79260	3	12
G-4531	79260	3	5	203309	79260	1	12
G-4541	79260	3	3	203323	79260	1	14
G-4551	79260	3	42	203349	79260	4	27
G-4571	79260	4	26	204254	79260	3	14
G-4581	79260	4	34	204283	79260	4	10
G-4601	79260	2	7	204311	79260	1	29
G-4611	79260	2	12	204339	79260	3	9
G-4631	79260	4	22	204425	79260	4	6
G-4661	79260	4	16	204507	79260	4	35
G-4691	79260	3	15	204309	79260	4	18
G-4751	79260	2	1	204511	79260	4	9
G-4761	79260	2	5	204530	79260	1	1
G-671	79260	4	37	204547	79260	2	4

SECTION VI. FEDERAL STOCK NUMBER AND REFERENCE
NUMBER INDEX-CONTINUED

REFERENCE-NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
204549	79260	3	39	213685	79260	4	-
204582	79260	2	6	213686	79260	4	21
204736	79260	3	16	214593	79260	4	-
204843	79260	3	2	215322	79260	3	10
205390	79260	2	10	215628	79260	3	25
206146	79260	3	53	216154	79260	3	37
206190	79260	4	15	216155	79260	3	46
206301	79260	1	32	216158	79260	3	49
206329	79260	1	16	216159	79260	3	45
206331	79260	1	18	216160	79260	3	47
207169	79260	2	9	216161	79260	3	32
		4	13	216162	79260	3	31
209422	79260	1	26	216163	79260	3	44
209746	79260	1	6	216251	79260	3	35
209970	79260	1	17	216521	79260	3	24
		1	33	216522	79260	3	27
		4	28	216523	79260	3	28
210311	79260	3	48	216524	79260	3	26
210365	79260	3	1	216525	79260	3	29
210731	79260	1	8	216574	79260	3	51
210732	79260	4	19	217205	79260	3	23
210733	79260	4	7	218047	79260	3	-
210734	79260	1	30	218048	79260	3	-
210735	79260	1	3	218049	79260	3	8
210736	79260	4	11	218074	79260	3	6
213159	79260	3	7	900282	79260	1	28
213208	79260	3	43	900283	79260	1	5
213424	79260	2	8	900305	79260	4	42
213678	79260	4	3	900423	79260	1	10
213679	79260	4	17	900424	79260	1	11
213680	79260	4	20	900426	79260	4	12
213681	79260	4	23	900431	79260	4	8
213682	79260	4	24	900432	79260	3	20

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

DISTRIBUTION :

Active Army:

DCSLOG (1)
CNGB (1)
CofSptS (1)
Dir of Trans (1)
TSG (1)
USARADBD (1)
USAARENBD (1)
USAMC (2)
CONARC (31)
USACDCEC (10)
ARADCOM (2)
ARADCOM Rgn (2)
USAREUR (1)
USAS/TC&FG (3)
LOGCOMD (3)
Engr FLDMS (2)
Ft Knox FLDMS (10)
QM FLDMS (1)
USATCFE (2)
USAOC&S (1)
USACOMZEUR (3)
USAWECOM (10)
USAAPSA (4)
Armies (3) except
 Seventh (5)
 Eighth (5)
USARJ (2)
USARHAW (2)
Edgewood Arsenal (1)
RSA (1)

Depots (2)
USAATC (2)
WSMR (5)
USSOUTHCOM (1)
USARYIS (3)
USARAL (1)
MAAG IRAN (1)
Units org under fol TOE's:
 (2 copies each)
 7-100
 9-9
 9-197
 9-247
 9-357
 10-349
 17
 17-100
 29-11
 29-21
 29-25
 29-26
 29-35
 29-36
 29-75
 29-79
 29-137
 29427
 37
 37-100

NG: State AG (3); Units acme as Active Army except allowance is one (1) copy to each unit.

USAR: None

For explanation of abbreviations uacd, see AR 310-50.